

# Stig Joint

## EQUINE

### Daily Vitamin/Mineral

#### Guaranteed Analysis

|  |                  |
|--|------------------|
| Crude Protein (min)                      | 8.00 %           |
| Crude Fat (min)                          | 0.50 %           |
| Crude Fiber (max)                        | 6.00 %           |
| Lysine (min)                             | 3.00 %           |
| Methionine (min)                         | 2.75 %           |
| Threonine                                | 0.75 %           |
| Calcium, Ca (min)                        | 9.00 %           |
| Calcium, Ca (max)                        | 10.00 %          |
| Phosphorus, P (min)                      | 6.00 %           |
| Magnesium, Mg (min)                      | 2.00 %           |
| Salt, NaCl (min)                         | 4.00 %           |
| Salt, NaCl (max)                         | 6.00 %           |
| Selenium, Se (min)                       | 17.65 PPM        |
| Lactic Acid Bacteria (min)               | 2.0 Billion CFU* |
| *Colony Forming Units (per 3 oz serving) |                  |

#### Three (3) ounces (85 grams) will provide:

|  |                |
|--|----------------|
| <b>Trace Minerals:</b>                 |                |
| Zinc, Zn (min)                         | 360 mg         |
| Copper, Cu (min)                       | 125 mg         |
| Manganese, Mn (min)                    | 200 mg         |
| Cobalt, Co (min)                       | 25 mg          |
| Iodine, I (min)                        | 2.0 mg         |
| <b>Selenium, Se (min)</b>              | <b>1.50 mg</b> |
| <b>Vitamins:</b>                       |                |
| Vitamin A (min)                        | 30,000 IU      |
| Vitamin D3 (min)                       | 3,000 IU       |
| Vitamin E (min)                        | 750 IU         |
| Vitamin C (min)                        | 500 mg         |
| Vitamin K (min)                        | 10 mg          |
| Biotin, B <sub>7</sub> (min)           | 6 mg           |
| Thiamine, B <sub>1</sub> (min)         | 30 mg          |
| Riboflavin, B <sub>2</sub> (min)       | 40 mg          |
| Niacin, B <sub>3</sub> (min)           | 90 mg          |
| Pantothenic Acid, B <sub>5</sub> (min) | 35 mg          |
| Pyridoxine, B <sub>6</sub> (min)       | 35 mg          |
| Folic Acid, B <sub>9</sub> (min)       | 25 mg          |
| Vitamin B <sub>12</sub> (min)          | 300 mcg        |

Contains a source of live, naturally occurring microorganisms.

# Grass Hay

and General Purpose

With Probiotics  
& Prebiotics

#### Ingredients

Dicalcium Phosphate, Yeast Culture (saccharomyces cerevisiae), Zinc Amino Acid Complex, Copper Amino Acid Complex, Manganese Amino Acid Complex, Cobalt Glucoheptonate, Sodium Chloride, Vitamin A, Vitamin D, Distillers Dried Grains with Solubles, Magnesium Oxide, Selenium Yeast, L-Lysine Hydrochloride, Calcium Iodate, Calcium Carbonate, d-Alpha Tocopheryl (Natural Vitamin E), DL-Methionine, Ascorbic Acid (Source of Vitamin C), L-Threonine, Calcium Silicate (Source of Silica), Thiamine Hydrochloride, Riboflavin, Pyridoxine Hydrochloride (Vitamin B<sub>6</sub>), Biotin, Folic Acid, Calcium Pantothenate, Vitamin B<sub>12</sub>, Supplement, Nicotinamide, Menadione Sodium Bisulfate Complex, Fructooligosaccharides, Yeast Extract (Mannan Oligosaccharides), Dried Bacillus coagulans fermentation product, Dried Bacillus licheniformis fermentation product, Dried Bacillus subtilis fermentation product, Dried Lactobacillus acidophilus fermentation product, Dried Lactobacillus casei fermentation product, Dried Lactobacillus plantarum fermentation product, Dried Enterococcus faecium fermentation product, Dried Whole, Natural Flavors, Natural Flaxseed Tocopherols (Antioxidant)

#### Feeding Directions

Use to supplement equine diets based on grass or "mixed" hay. May also be used where a "general purpose" daily supplement is required.

Feed to Horses weighing 1,000 lbs, or more, at the rate of 3 ounces (85 grams) per day. Usage rate may be reduced proportionately, based on weight, for lighter breeds, younger horses, ponies, etc.

Feed at the rate of 4.5 ounces (127 grams) for pregnant mares in final 1/3 of gestation through initial 1/3 of lactation.

The enclosed 48cc scoop will hold approximately 1.50 ounces when filled to "level."

Two (2) level scoops will provide approximately three (3) ounces (85 grams).

#### Net Weight:

- 2 lb (0.91 kg)
- 15 lbs (6.82 kg)
- 35 lbs (15.90 kg)
- 50 lbs (22.72 kg)
- 132.3 lbs (60.00 kg)

Made with



Manufactured by

**HorseTech, Inc.**

112 Walnut St.

Laurens, Iowa 50554

1-800-831-3309

Charter Member

DIETARY SUPPLEMENT



**Yeast+**